

Bylaw 9/94

A BYLAW OF THE TOWN OF CRAIK, TO PROVIDE FOR THE CONTROL AND REGULATION OF BURIALS IN THE NEW SECTION OF THE CRAIK CEMETERY.

The Council of the Town of Craik, in the Province of Saskatchewan, enacts as follows:

1. The base of each headstone must be counter sunk and flush with the ground.
2. Headstones resting on the base can be a maximum of 36" in length and a maximum of 16" in height.
3. Once the headstone is placed, there must be a minimum 8" apron, flush with the ground. That is, the base must be at least 8" larger than the headstone, on all sides, for the purpose of upkeep.
4. Grave covers are not allowed.
5. That in the case of cremation, the maximum is four burials per plot.
6. The purchaser of each plot will be given three letters, outlining the duties of the purchaser, the digger, and the monument installer. It is the purchaser's responsibility to distribute these letters to the appropriate parties.
7. The Town of Craik takes no responsibility for monuments that do not adhere to this Bylaw and will notify the purchaser if and when there there exists a non-compliance.
8. This Bylaw 9/94 comes into effect upon final passing.

Read a first time this 5th day of July, 1994.

Read a second time this 5th day of July, 1994.

Read a third and final time this 5th day of July, 1994 by the unanimous consent of all Council present and finally passed this 5th day of July, 1994.




Mayor


Administrator